

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

17

Update with latest contact

07APR2008

SZ

JD

PRELIMINARY PART
NOT RELEASED FOR PRODUCTION

THIS PRODUCT HAS NOT COMPLETED
VALIDATION TESTING

NOTES:

1 MECHANICAL SPECIFICATIONS:
contact force: see table
durability : 3000 compression cycles

2 ELECTRICAL SPECIFICATIONS:
contact resistance : 30 mΩ
current : 100 mA, peak max. 3A
operating voltage : 6V

3 ENVIRONMENTAL SPECIFICATIONS:
operating temperature : -20°C to 70°C

4 Cavity number and Tyco Electronics logo

5 Contact solder area for reference only.





6 Dimensions used for statistical process control on 30 pieces.

CONTACT FORCE (F) vs. STROKE (mm)		
	STROKE (mm)	F (N)
MIN.	0,5	0,5 MIN
NOMINAL	0,8	0,5 - 1,5
MAX.	1,3	2,0 MAX

PART NUMBER 1982633-1

ITEM #	DESCRIPTION	MATERIAL	FINISH
2	CONTACT	copper alloy	min. 0,25µm Au (contact area) min. 0,13µm Au (solder area) over min. 2,0µm Ni
1	HOUSING	LCP, black	-

Tyco Electronics Corporation Hertogenbosch, Nederland		3 POSITION BATTERY CONNECTOR	
NAME	SIZE	CAGE CODE	DRAWING NO
	A3	00779	C=1982633
RESTRICTED TO		SCALE	SHEET
		13:1	1 OF 2
REV		17	

RECOMMENDED PWB LAYOUT
(TOP VIEW)

SCALE 5:1

AMP 1470-19 REV 31MAR2000

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

H

-


-

SEE SHEET 1

-

-

-



NOTES:

7 PACKAGING

reel size : t.b.d.

quantity per reel : t.b.d.


leading empty pockets : t.b.d.

trailing empty pockets : t.b.d.

**PRELIMINARY PART
NOT RELEASED FOR PRODUCTION****THIS PRODUCT HAS NOT COMPLETED
VALIDATION TESTING**THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS:

mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:0 PLC ±0,2
1 PLC ±0,1
2 PLC ±0,05
3 PLC ±0,025
4 PLC ±0,005
ANGLES ±2

MATERIAL see BOM

FINISH see BOM

DWN 6 JUN 2007

M. Felten

CHK 7 JUN 2007

P. Willems

APVD D. Halberstadt

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

176 mg

CUSTOMER DRAWING

Tyco Electronics Corporation
's-Hertogenbosch, Nederland

NAME

3 POSITION
BATTERY CONNECTOR

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1982633

SCALE 13:1

SHEET 2 OF 2

REV 17



ООО «НИОКРсистемс» - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование
- Работаем по 275 ФЗ