


PRODUCT NO	DIM L	METAL CLIP	RECOMMENDED P.C. BOARD THICKNESS	DIA "H"
10036312-001LF	2.70	1 PC	1.57mm (0.062") / 2.36mm (0.093")	0.50/ 0.65/ 0.80






RECOMMENDED P.C.B LAYOUT



SECTION X - X




SECTION Y - Y


spec ref	-			dr	GL LOO	2004-09-23	projection
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	GL LOO	2004-09-23	MM
				chr	GL LOO	2010-10-28	size A3 / scale 3:1
				appr	JOEY NG	2010-10-28	ecn no S10-0228
surface - ISO 1302	linear	0.X	±-	product family		SAS	rel level -
		0.XX	±0.20				
		0.XXX	±-				
	angular	0°	±2°				


www.fci.com	title: SAS RECEPTACLE HYBRID TYPE ASSY	dwg no 10036312	rev E	
	cat. no. -	Product - Customer Drw	sheet 1 of 3	

Copyright FCI.

PRODUCT NO	DIM L	METAL CLIP	RECOMMENDED P.C. BOARD THICKNESS	DIA "H"
10036312-002LF	2.70	2 PCS	1.57mm (0.062") / 2.36mm (0.093")	0.50/ 0.65/ 0.80







RECOMMENDED P.C.B LAYOUT

NOTES:

ALL OTHER DIMENSIONS, REFER TO SHEET 1 AND 2.

Copyright FCI.

spec ref	-			dr	GL LOO	2004-09-23	projection	MM	size A3 / scale 3:1
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	GL LOO	2004-09-23			
				chr	GL LOO	2010-10-28			ecn no S10-0228
				appr	JOEY NG	2010-10-28	product family	SAS	rel level -
surface - ISO 1302	linear	0.X	±-	FCI	title: SAS RECEPTACLE HYBRID TYPE ASSY			dwg no 10036312	rev E
		0.XX	±0.20						
		0.XXX	±-						
	angular	0°	±2°	www.fci.com	cat. no. -		Product - Customer Drw		sheet 2 of 3

NOTES:

1. MATERIAL :
   1) HOUSING : HIGH TEMP THERMOPLASTIC, UL 94V-0
      COLOR : BLACK
   2) TERMINAL : COPPER ALLOY
   3) HOLD DOWN : COPPER ALLOY

2. FINISH :
   1) TERMINAL : 30µ" Au PLATING (CONTACT POINT) OVER 50µ" NICKEL
   2) SOLDER TAIL : 50µ" MIN Sn OVER 50µ" NICKEL
   3) HOLD DOWN : 50µ" MIN Sn OVER 50µ" NICKEL

(3.) PER SFF REV 1.1

4. THE STD PACKAGING IS IN TRAY.

5. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION INFRA-RED OR VAPOR PHASE REFLOW OVEN.

(6.) THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

△E (7.) PART NUMBERS ENDING IN "LF" MEANS FOR NOTE 6 LEAD FREE IDENTIFICATION.
~~P/N XXXXXXXX-XXXLF IS EQUIVALENT TO PREVIOUS P/N XXXXXXXX-XXX.~~

△E 8 A △E SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

Copyright FCI.

spec ref -				dr	GL LOO	2004-09-23	projection	MM	size A3 / scale 3:1
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	GL LOO	2004-09-23			
				chr	GL LOO	2010-10-28			ecn no S10-0228
				appr	JOEY NG	2010-10-28	product family SAS		rel level -
surface - ISO 1302	linear	0.X	±-	FCI www.fci.com	title SAS RECEPTACLE HYBRID TYPE ASSY			dwg no 10036312	rev E
		0.XX	±0.20						
		0.XXX	±-						
	angular	0°	±2°		cat. no. -		Product - Customer Drw		sheet 3 of 3

ООО «НИОКРсистемс» - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование
- Работаем по 275 ФЗ

ООО «НИОКР СИТЕМС»
Москва, 125362, Россия, ул. Вишневая, д. 9, к. 1, Блок 104 а и 104 в

Телефон: 8 (495) 268-14-82
Email: n@nsistems.ru

ИНН: 7735154786
ОГРН: 1167746717709