# PRODUCT SPECIFICATION

| | |
|---|---|
| **Brand** | C.K |
| **Product Range** | Xonic ESD Screwdrivers |
| **Catalogue number** | 4838X, 4840X, 4875X, 4877X, 4880X, 4882X, 4883X, 4884X |
| **Date** | 06/11/2008 |

**Range Description**
A range of Electronic screwdrivers with ESD protection

**Features**

- Ergonomically designed handle with hollow rotating cap for ease of use and precise control
- Electro Statically Dissipative to protect sensitive electronic components
- Blades made from premium quality Chrome Vanadium Molybdenum steel for strength
- Tips accurately machined for the ultimate screw fit




*4838X*




*4840X*




*4875X*




*4877X*




*4880X*




*4882X*



*4883X*



*4884X*

Copyright Carl Kammerling International Ltd

| Item Number | Item Description | EAN No | Commodity code | Carton Qty |
|---|---|---|---|---|
| T4838XESD15 | Xonic ESD Screwdriver Hex 1.5 x 50mm | 5013969981926 | 82054000 | 30 |
| T4838XESD20 | Xonic ESD Screwdriver Hex 2.0 x 50mm | 5013969981933 | 82054000 | 30 |
| T4838XESD25 | Xonic ESD Screwdriver Hex 2.5 x 60mm | 5013969981940 | 82054000 | 30 |
| T4838XESD30 | Xonic ESD Screwdriver Hex 3.0 x 60mm | 5013969981957 | 82054000 | 30 |
| T4840XESD32 | Xonic ESD Nut Spinner 3.2 x 60mm | 5013969978452 | 82054000 | 30 |
| T4840XESD35 | Xonic ESD Nut Spinner 3.5 x 60mm | 5013969978469 | 82054000 | 30 |
| T4840XESD40 | Xonic ESD Nut Spinner 4.0 x 60mm | 5013969978476 | 82054000 | 30 |
| T4840XESD45 | Xonic ESD Nut Spinner 4.5 x 60mm | 5013969978520 | 82054000 | 30 |
| T4840XESD50 | Xonic ESD Nut Spinner 5.0 x 60mm | 5013969978537 | 82054000 | 30 |
| T4840XESD55 | Xonic ESD Nut Spinner 5.5 x 60mm | 5013969978544 | 82054000 | 30 |
| T4875X ESD | Xonic ESD Screwdriver PZD0 x 60mm | 5013969978667 | 82054000 | 30 |
| T4875X ESD 1 | Xonic ESD Screwdriver PZD1 x 80mm | 5013969978674 | 82054000 | 30 |
| T4877XESD04 | Xonic ESD Screwdriver TX04 x 50mm | 5013969978773 | 82054000 | 30 |
| T4877XESD05 | Xonic ESD Scrwedriver TX05 x 50mm | 5013969978780 | 82054000 | 30 |
| T4877XESD06 | Xonic ESD Screwdriver TX06 x 50mm | 5013969978797 | 82054000 | 30 |
| T4877XESD07 | Xonic ESD Screwdriver TX07 x 50mm | 5013969978810 | 82054000 | 30 |
| T4877XESD08 | Xonic ESD Screwdriver TX08 x 60mm | 5013969978827 | 82054000 | 30 |
| T4880XES08 | Xonic ESD Screwdriver SL 0.8 x 60mm | 5013969979299 | 82054000 | 30 |
| T4880XES12 | Xonic ESD Screwdriver SL 1.2 x 60mm | 5013969979312 | 82054000 | 30 |
| T4880XES15 | Xonic ESD Screwdriver SL 1.5 x 60mm | 5013969979329 | 82054000 | 30 |
| T4880XES18 | Xonic ESD Screwdriver SL 1.8 x 60mm | 5013969979336 | 82054000 | 30 |
| T4880XES256 | Xonic ESD Screwdriver SL 2.5 x 60mm | 5013969979343 | 82054000 | 30 |
| T4880XES257 | Xonic ESD Screwdriver SL 2.5 x 75mm | 5013969979350 | 82054000 | 30 |
| T4880XES310 | Xonic ESD Screwdriver SL 3.0 x 100mm | 5013969979367 | 82054000 | 20 |
| T4880XES315 | Xonic ESD Screwdriver SL 3.0 x 150mm | 5013969979374 | 82054000 | 10 |
| T4880XES410 | Xonic ESD Screwdriver SL 4.0 x 100mm | 5013969979398 | 82054000 | 20 |
| T4880XES415 | Xonic ESD Screwdriver SL 4.0 x 150mm | 5013969979411 | 82054000 | 10 |
| T4882X0 ESD | Xonic ESD Screwdriver PH0 x 60mm | 5013969979497 | 82054000 | 30 |
| T4882X000ES | Xonic ESD Screwdriver PH000 x 60mm | 5013969979527 | 82054000 | 30 |
| T4882X00ESD | Xonic ESD Screwdriver PH00 x 60mm | 5013969979510 | 82054000 | 30 |
| T4882X1 ESD | Xonic ESD Screwdriver PH1 x 80mm | 5013969979534 | 82054000 | 30 |
| T4883XESD | Xonic ESD Screwdrivers Set of 7 | 5013969983890 | 82054000 | 1 |
| T4884X ESD | Xonic ESD Screwdrivers Set of 4 | 5013969981346 | 82054000 | 1 |

| | |
|---|---|
| Technical product information | Handle materials electrostatically dissipative to DIN EN 61340 5,1 & 5,2 |
| Standards compliance | None applicable |
| User health and safety information | None applicable |

Copyright Carl Kammerling International Ltd

| | |
|---|---|
| RoHS/WEEE compliance | This product range does not fall within the scope of RoHS or WEEE regulations |
| Material safety data | None applicable |
| Warranty | C.K Tools are guaranteed for life against imperfect materials or workmanship<br>Normal wear and tear or damage caused through inappropriate use is not covered |
| Country of origin | Germany |

## Dimensional details

| | Product only | | | | Product on primary packaging | | | |
|---|---|---|---|---|---|---|---|---|
| Item | Width mm | Depth mm | Height mm | Net weight g | Width mm | Depth mm | Height mm | Gross weight g |
| T4838XESD15 | 2,5 | 146 | 17 | 13 | 46 | 193 | 17 | 20 |
| T4838XESD20 | 2,5 | 146 | 17 | 13 | 46 | 193 | 17 | 20 |
| T4838XESD25 | 3,0 | 160 | 17 | 16 | 46 | 207 | 17 | 23 |
| T4838XESD30 | 3,5 | 160 | 17 | 17 | 46 | 207 | 17 | 24 |
| T4840XESD32 | 4,0 | 159 | 17 | 21 | 46 | 206 | 17 | 28 |
| T4840XESD35 | 4,0 | 159 | 17 | 22 | 46 | 206 | 17 | 29 |
| T4840XESD40 | 4,0 | 160 | 17 | 22 | 46 | 207 | 17 | 29 |
| T4840XESD45 | 4,0 | 157 | 17 | 23 | 46 | 204 | 17 | 30 |
| T4840XESD50 | 4,0 | 157 | 17 | 23 | 46 | 204 | 17 | 30 |
| T4840XESD55 | 4,0 | 160 | 17 | 23 | 46 | 207 | 17 | 30 |
| T4875X ESD | 3,0 | 160 | 17 | 16 | 46 | 207 | 17 | 23 |
| T4875X ESD 1 | 4,5 | 180 | 17 | 25 | 46 | 227 | 17 | 32 |
| T4877XESD04 | 2,5 | 150 | 17 | 13 | 46 | 197 | 17 | 20 |
| T4877XESD05 | 2,5 | 150 | 17 | 13 | 46 | 197 | 17 | 30 |
| T4877XESD06 | 3,5 | 150 | 17 | 16 | 46 | 197 | 17 | 23 |
| T4877XESD07 | 3,5 | 150 | 17 | 17 | 46 | 197 | 17 | 24 |
| T4877XESD08 | 3,5 | 160 | 17 | 18 | 46 | 207 | 17 | 25 |
| T4880XES08 | 2,5 | 157 | 17 | 13 | 46 | 204 | 17 | 20 |
| T4880XES12 | 2,5 | 160 | 17 | 13 | 46 | 207 | 17 | 20 |
| T4880XES15 | 2,5 | 157 | 17 | 13 | 46 | 204 | 17 | 20 |
| T4880XES18 | 2,5 | 160 | 17 | 13 | 46 | 207 | 17 | 20 |
| T4880XES256 | 2,5 | 160 | 17 | 14 | 46 | 207 | 17 | 21 |

Copyright Carl Kammerling International Ltd

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| T4880XES257 | 2,5 | 173 | 17 | 14 | 46 | 220 | 17 | 21 |
| T4880XES310 | 3,0 | 198 | 17 | 17 | 46 | 245 | 17 | 24 |
| T4880XES315 | 3,0 | 250 | 17 | 19 | 46 | 297 | 17 | 26 |
| T4880XES410 | 4,0 | 200 | 17 | 23 | 46 | 247 | 17 | 30 |
| T4880XES415 | 4,0 | 250 | 17 | 28 | 46 | 297 | 17 | 35 |
| T4882X0 ESD | 3,0 | 160 | 17 | 15 | 46 | 207 | 17 | 22 |
| T4882X000ES | 2,5 | 160 | 17 | 13 | 46 | 207 | 17 | 20 |
| T4882X00ESD | 2,5 | 160 | 17 | 13 | 46 | 207 | 17 | 20 |
| T4882X1 ESD | 4,5 | 180 | 17 | 24 | 46 | 227 | 17 | 31 |
| T4883XESD | | | | 97 | 192 | 310 | 30 | 249 |
| T4884X ESD | | | | 59 | 120 | 310 | 30 | 132 |

| | **Shelf box (secondary packaging)** | | | | **Euro Pallet data Wi x Hi** | |
|---|---|---|---|---|---|---|
| **Item** | **Width mm** | **Depth mm** | **Height mm** | **Gross weight g** | **No of cartons on base** | **Number of rows high** |
| T4838XESD15 | 245 | 125 | 65 | 684 | | |
| T4838XESD20 | 245 | 125 | 65 | 685 | | |
| T4838XESD25 | 245 | 125 | 65 | 757 | | |
| T4838XESD30 | 245 | 125 | 65 | 810 | | |
| T4840XESD32 | 245 | 125 | 65 | 916 | | |
| T4840XESD35 | 245 | 125 | 65 | 943 | | |
| T4840XESD40 | 245 | 125 | 65 | 951 | | |
| T4840XESD45 | 245 | 125 | 65 | 969 | | |
| T4840XESD50 | 245 | 125 | 65 | 962 | | |
| T4840XESD55 | 245 | 125 | 65 | 985 | | |
| T4875X ESD | 245 | 125 | 65 | 754 | | |
| T4875X ESD 1 | 245 | 125 | 65 | 1048 | | |
| T4877XESD04 | 245 | 125 | 65 | 551 | | |
| T4877XESD05 | 245 | 125 | 65 | 669 | | |

Copyright Carl Kammerling International Ltd

| | | | | | | |
|---|---|---|---|---|---|---|
| T4877XESD06 | 245 | 125 | 65 | 778 | | |
| T4877XESD07 | 245 | 125 | 65 | 784 | | |
| T4877XESD08 | 245 | 125 | 65 | 815 | | |
| T4880XES08 | 245 | 125 | 65 | 675 | | |
| T4880XES12 | 245 | 125 | 65 | 662 | | |
| T4880XES15 | 245 | 125 | 65 | 676 | | |
| T4880XES18 | 245 | 125 | 65 | 676 | | |
| T4880XES256 | 245 | 125 | 65 | 694 | | |
| T4880XES257 | 245 | 125 | 65 | 696 | | |
| T4880XES310 | 290 | 90 | 65 | 546 | | |
| T4880XES315 | 420 | 110 | 35 | 330 | | |
| T4880XES410 | 290 | 90 | 65 | 678 | | |
| T4880XES415 | 420 | 110 | 35 | 423 | | |
| T4882X0 ESD | 245 | 125 | 65 | 722 | | |
| T4882X000ES | 245 | 125 | 65 | 669 | | |
| T4882X00ESD | 245 | 125 | 65 | 678 | | |
| T4882X1 ESD | 245 | 125 | 65 | 1014 | | |
| T4883XESD | | | | | | |
| T4884X ESD | | | | | | |

## Packaging waste details

| | Primary Packaging | | | | Secondary packaging | | | |
|---|---|---|---|---|---|---|---|---|
| **Item** | **Plastic g** | **Use** | **Card g** | **Use** | **Plastic g** | **Use** | **Card g** | **Use** |
| T4838XESD15 | 7 | Hanger | | | | | 80 | carton |
| T4838XESD20 | 7 | Hanger | | | | | 80 | carton |
| T4838XESD25 | 7 | Hanger | | | | | 80 | carton |
| T4838XESD30 | 7 | Hanger | | | | | 80 | carton |
| T4840XESD32 | 7 | Hanger | | | | | 80 | carton |
| T4840XESD35 | 7 | Hanger | | | | | 80 | carton |
| T4840XESD40 | 7 | Hanger | | | | | 80 | carton |
| T4840XESD45 | 7 | Hanger | | | | | 80 | carton |
| T4840XESD50 | 7 | Hanger | | | | | 80 | carton |

Copyright Carl Kammerling International Ltd

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| T4840XESD55 | 7 | Hanger | | | | | 80 | carton |
| T4875X ESD | 7 | Hanger | | | | | 80 | carton |
| T4875X ESD 1 | 7 | Hanger | | | | | 80 | carton |
| T4877XESD04 | 7 | Hanger | | | | | 80 | carton |
| T4877XESD05 | 7 | Hanger | | | | | 80 | carton |
| T4877XESD06 | 7 | Hanger | | | | | 80 | carton |
| T4877XESD07 | 7 | Hanger | | | | | 80 | carton |
| T4877XESD08 | 7 | Hanger | | | | | 80 | carton |
| T4880XES08 | 7 | Hanger | | | | | 80 | carton |
| T4880XES12 | 7 | Hanger | | | | | 80 | carton |
| T4880XES15 | 7 | Hanger | | | | | 80 | carton |
| T4880XES18 | 7 | Hanger | | | | | 80 | carton |
| T4880XES256 | 7 | Hanger | | | | | 80 | carton |
| T4880XES257 | 7 | Hanger | | | | | 80 | carton |
| T4880XES310 | 7 | Hanger | | | | | 72 | carton |
| T4880XES315 | 7 | Hanger | | | | | 73 | carton |
| T4880XES410 | 7 | Hanger | | | | | 72 | carton |
| T4880XES415 | 7 | Hanger | | | | | 73 | carton |
| T4882X0 ESD | 7 | Hanger | | | | | 80 | carton |
| T4882X000ES | 7 | Hanger | | | | | 80 | carton |
| T4882X00ESD | 7 | Hanger | | | | | 80 | carton |
| T4882X1 ESD | 7 | Hanger | | | | | 80 | carton |
| T4883XESD | | | | | | | | |
| T4884X ESD | | | | | | | | |

Copyright Carl Kammerling International Ltd

**ООО «НИОКРсистемс» -** это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

## Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование
- Работаем по 275 ФЗ

ООО «НИОКР СИТЕМС»
Москва, 125362, Россия, ул. Вишневая, д. 9, к. 1, Блок 104 а и 104 в

Телефон: 8 (495) 268-14-82
Email: n@nsistems.ru

ИНН: 7735154786
ОГРН: 1167746717709