


4805 (3/11)

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

LOC

DIST

REV

DATE

BY

APP

ES

00

SEE SHEET 1

1.35

LED PLACED IN "X" DIRECTION

2.10

LED PLACED IN "Y" DIRECTION

LED TARGET ZONE REF

4.25

PARTIAL BOTTOM VIEW

SCALE 12:1

1.23

LED HEIGHT OFF BOARD

2.10

LED PLACED IN "X" DIRECTION

1.35

LED PLACED IN "Y" DIRECTION

4.25

LED CENTER IN "X" OR "Y" DIRECTIONS

SECTION N-N

SCALE 10:1

RETENTION BARB	BLACK	BLACK	0.00076 MIN (30u'')	2.54	7-1932000-6
	NATURAL	BLACK		2.54	7-1932000-5
	NATURAL	BLUE<2935U>	0.00038 MIN(15u'')	2.67	7-1932000-2
	NATURAL	PINK<701C>	0.00008 MIN (3u'', FLASH)	2.54	6-1932000-5
		BLUE<284C>		2.54	6-1932000-4
	BLACK	BLACK	0.00076 MIN (30u'')	4.00	5-1932000-2
	NATURAL	BLACK		3.18	5-1932000-1
				4.00	4-1932000-8
	NATURAL	GREEN<368C> BLUE<284C> ORANGE<021C>	0.00038 MIN (15u'')	3.18	4-1932000-7
				2.67	4-1932000-6
				2.67	3-1932000-3
	NATURAL	BLACK	0.00038 MIN (15u'')	2.67	2-1932000-5
				2.67	2-1932000-1
				3.18	1-1932000-7
	BLACK	BLACK	0.00038 MIN (15u'')	2.67	1-1932000-6
			0.00008 MIN(3u'')	4.00	1-1932000-5
NATURAL	BLACK	0.00038 MIN (15u'')	3.18	1-1932000-1	
		0.00008 MIN(3u'')	2.67	1-1932000-0	
NATURAL	NATURAL	0.00038 MIN (15u'')	2.67	1932000-7	
			4.00	1932000-6	
			3.18	1932000-5	
		2.67	1932000-4		
		0.00008 MIN (3u'', FLASH)	4.00	1932000-3	
			3.18	1932000-2	
2.67	1932000-1				
HOUSING STYLE	EXTRACTOR COLOR	HOUSING COLOR	CONTACT GOLD INTERFACE	TAIL LENGTH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

0 PLC ± -

1 PLC ± 0.5

2 PLC ± 0.13

3 PLC ± 0.013

4 PLC ± 0.0001

ANGLES ± -

MATERIAL -

FINISH -

DWN LEO ZHOU 28FEB2007

CHK STEVEN YAO 28FEB2007

APPV STEVEN YAO 28FEB2007

PRODUCT SPEC

APPLICATION SPEC

WEIGHT -

CUSTOMER DRAWING

NAME

SIZE CAGE CODE DRAWING NO

RESTRICTED TO

TE Connectivity


SOCKET ASSEMBLY,
VERTICAL DDR3 DIMM,
SOLDER TAIL, 240 POSITION

A100779C1932000

SCALE 4:1 SHEET 2 OF 4 REV H7

4805 (3/11)





NOTES:

- 1. MATERIAL:
 - 1.1 TRAY: PVC
 - 1.2 SHIPPING CARTON : CORRUGATED FIBERBOARD
- 2. DIMENSION :
 - 2.1 TRAY : L=363, W=255, H=33
 - 2.2 SHIPPING CARTON : L=375, W=265, H=280
- 3. QUANTITY :
 - 3.1 PRIMARY PACKING : 50 PCS/TRAY
 - 3.2 SECONDARY PACKING : 8 TRAY/CARTON(400PCS)
- 4. WEIGHT :
 - 4.1 NET WEIGHT : 3.76 KG
 - 4.2 GROSS WEIGHT: 6.00 KG

8	7	6	5	4	3	2	1
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION					
© COPYRIGHT By		ALL RIGHTS RESERVED.					

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



ООО «НИОКРсистемс» - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование
- Работаем по 275 ФЗ