







PART NUMBER	DESCRIPTION
180250-0000	ILLUMITEX 500 LED HOLDER WITHOUT COVER
180250-0001	ILLUMITEX 500 LED HOLDER WITH COVER






- NOTES:
- MATERIALS:
 - CAPS: NATURAL COLOR PA66 NYLON 25% GF UL94V-0
 - HOUSING: NATURAL COLOR PA66 NYLON 25% GF UL94V-0
 - COVER: NATURAL COLOR PA66 NYLON 25% GF UL94V-0
 - WIRE TRAP TERMINALS: COPPER ALLOY
 - FINISH: GOLD OVER NICKEL
 - THIS PRODUCT IS ELV AND ROHS COMPLIANT
 - APPLICABLE WIRE GAUGE - 20 AWG
 - SOLID WIRE IS RECOMMENDED
 - IF STRANDED WIRE IS USED, PRE-TINNED IS RECOMMENDED
 - 1 cm STRIP LENGTH IS RECOMMENDED
 - MOUNT HOLDER USING M2 SCREWS (2), 0.8 NEWTON METERS MAX TORQUE
 - FOR POTTED APPLICATIONS, THE ENCAPSULANT MUST NOT ENTER THE WIRE TRAP OR CONTACT BEAM CAVITIES. ENCAPSULANT IN THESE AREAS MAY PREVENT ELECTRICAL CONTACT
 - UL RECOGNIZED TO UL496
 - UL RECOGNIZED TO CSA-C22.2 NO. 43 (2008)
 - RATED 600V
 - UL FILE NUMBER E345583, UL-OLFB2

ENTER DESCRIPTION EC NO: SSL2012-0041 CHKD: JAKLIC APPR: DMCGOWAN		2011/11/01 2011/11/02	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
							MM ONLY		2:1	METRIC			
A1	REV			F_A=0 F_G=0 F_P=0			mm	INCH	DRAWN BY	DATE	TITLE ILLUMITEX 500 LED HOLDER		
					4 PLACES ± --- ± ---		FJAKLIC	2011/06/08					
					3 PLACES ± --- ± ---		CHECKED BY	DATE	MOLEX INCORPORATED				
					2 PLACES ± 0.13 ± ---		APPROVED BY	DATE					
					1 PLACE ± 0.25 ± ---		DMCGOWAN	2011/06/21					
ANGULAR ± 1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-180250-001		1 OF 2							
		SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

WIRE TRAP CAPS REMOVED FROM FRONT VIEW FOR CLARITY




LED HOLDER PART NUMBER 180250-0000



VIEW OF TWO-WAY WIRE TRAP
WIRE TRAPS ACCOMMODATE 20 GAUGE WIRE

DETAIL SCALE 3:1

LED HOLDER WITH COVER PART NUMBER 180250-0001



RECOMMENDED MOUNTING DIMENSIONS (NTS)

ENTER DESCRIPTION EC NO: SSL2012-0041 DRAWN: FJAKL IC CHKD: JAKL IC APPR: DMCGOWAN 2011/11/02		QUALITY SYMBOLS F₁=0 F₂=0 F₃=0		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION 		
				mm INCH		DRAWN BY DATE FJAKL IC 2011/06/08		TITLE ILLUMITEX 500 LED HOLDER				
				4 PLACES ± --- 3 PLACES ± --- 2 PLACES ± 0.13 1 PLACE ± 0.25		CHECKED BY DATE						
				ANGULAR ±1/2°		APPROVED BY DATE DMCGOWAN 2011/06/21		MOLEX INCORPORATED DOCUMENT NO. SD-180250-001 SHEET NO. 2 OF 2				
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.						
						SEE CHART						
A1		REV		SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



ООО «НИОКРсистемс» - это оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов. Реализуемая нашей компанией продукция насчитывает более полумиллиона наименований.

Благодаря этому наша компания предлагает к поставке практически не ограниченный ассортимент компонентов как оптовыми, мелкооптовыми партиями, так и в розницу.

Благодаря развитой сети поставщиков, помогаем в поиске и приобретении экзотичных или снятых с производства компонентов.

Наша компания это:

- Гарантия качества поставляемой продукции
- Широкий ассортимент
- Минимальные сроки поставок
- Техническая поддержка
- Подбор комплектации
- Индивидуальный подход
- Гибкое ценообразование
- Работаем по 275 ФЗ